5

CLAIMS

What is claimed is:

A method comprising the steps of:

utilizing the excess capacity of a network by conveying data over said network during a period of less than maximum usage;

receiving said data during said period of less than maximum usage;

accumulating said data over an extended period of time; and

retrieving said data for on-demand use at a time after said extended period of time.

- 2. A method as recited in Claim 1, in which said network includes a satellite.
- 3. A method as recited in Claim 2, in which said satellites operate in low Earth orbit.

12

Application for United States Letters Patent Docket No. HMD2000-1

- 4. A method as recited in Claim 2, in which said satellites operate in medium Earth orbit.
- 5. A method as recited in Claim 2 in which said satellites operate in hgih Earth orbit.
- 6. A method as recited in Claim 2,\in which said satellites operate in geosynchronous Earth orbit.
- 7. A method as recited in Claim 2, in which said satellites operate in low Earth orbit.
- 8. A method as recited in Claim 2, in which said network includes a sub-orbital platform.
- 9. A method as recited in Claim 2, in which said network includes a terrestrial wired network.

10

A method as recited in Claim 2, in which said network includes a terrestrial 10. wireless network.

An apparatus comprising:

a gateway means for transmitting a plurality of digitized packets of data;

a relay means for receiving said plurality of digitized packets of data from said gateway means and for retransmitting during a time period when the total communications capacity of said relay means is not fully used;

a receiver means for collecting said plurality of digitized packets of data which are transmitted from said satellite means;

said receiver means including a storage means for accumulating said plurality of digitized packets of data incrementally over an extended period of time; and

retrieving and using said plurality of digitized packets of data after a generally full program has been accumulated.

- 12. An apparatus as claimed in Claim 11, in which said receiver means is shielded to eliminate local radio frequency transmissions that could be used to make an unauthorized copy.
- 13. An apparatus as claimed in Claim 1/1, in which said receiver means is tamper-proofed to thwart unauthorized copying.
- 14. An apparatus as claimed in Claim 11, in which said relay means includes a satellite.
- 15. An apparatus as claimed in Claim 11, in which said relay means includes a sub-orbital platform.
- 16. An apparatus as claimed in Claim 11, in which said relay means includes a wired terrestrial network.
- 17. An apparatus as claimed in Claim 11, in which said relay means includes a wireless terrestrial network.

Application for United States Letters Patent Docket No. HMD2000-1

- 18. An apparatus as claimed in Claim 11, in which said receiver means is located on the Earth's surface.
- 19. An apparatus as claimed in Claim 1, in which said receiver means is located on the Earth's surface.
- 20. An apparatus as claimed in Claim 11, in which said receiver means is located in a fixed terminal.
- 21. An apparatus as claimed in Claim 11, in which said receiver means is located in a portable terminal.
- 22. An apparatus as claimed in Claim 11, in which said receiver means is located in a mobile terminal.
- 23. An apparatus as claimed in Claim 11, in which said redeiver means is located in a sub-orbital platform.

Application for United States Letters Patent Docket No. HMD2000-1

K/Dux.

24. An apparatus as claimed in Claim 11, in which said receiver means is located in a satellite in orbit.